

**OFTEC TECHNICAL BOOK TWO**  
**CONTENTS**

S1.5	Filling Systems	6(7)
S1.6	Vent Systems	6(8)
S1.7	Overfill Alarms	6(8)
<b>S2</b>	<b>Oil Supply System</b>	
S2.1	Oil Supply Systems	6(9)
S2.2	Oil Line Filter	6(9)
S2.2.1	Replaceable Cartridge/Element Types	6(9)
S2.2.2	Metal Element Type	6(10)
S2.2.3	Air Venting	6(10)
S2.3	Fire Valves	6(10)
S2.3.1	Remote Acting Phial and Capillary	6(10)
S2.3.2	Dead-weight/Fusible Link Type	6(11)
S2.3.3	Fusible Pin or Wheel Type	6(11)
<b>S3</b>	<b>Air Supply</b>	
S3.1	Combustion Air Supply	6(12)
S3.2	Ventilation Air Supply	6(12)
S3.3	'Make-up' Air Supplies	6(12)
<b>S4</b>	<b>Flues and Chimneys</b>	
S4.1	Inspection	6(14)
S4.2	Stabilisers	6(14)
S4.3	Flue Safety	6(14)
S4.4	Termination	6(15)
<b>S5</b>	<b>Electrical Safety</b>	
S5.1	Inspections	6(16)
<b>S6</b>	<b>Heat Exchanger</b>	
S6.1	Inspection and Cleaning	6(17)
S6.2	Condensing Appliances	6(18)
S6.3	Reseal Access Plates	6(18)
<b>S7</b>	<b>Combustion Chamber</b>	
S7.1	Clean Surfaces	6(19)
S7.2	Examine for Flame Impingement	6(19)
S7.3	Maintenance	6(19)
<b>S8</b>	<b>Burners – Pressure Jet</b>	
S8.1	Electrical Components	6(20)
S8.2	Fans and Motors	6(20)
S8.3	Nozzles	6(21)
S8.4	Flexible Oil Line	6(21)

<b>7.4</b>	<b>TI/133D (Domestic Oil Storage Tank Spillage and Fire Risk Assessment Form)</b>	
7.4.1	General	7(8)
<b>7.5</b>	<b>Work Notification</b>	
7.5.1	Work Notification (England and Wales)	7(10)
7.5.2	Work Notification (Jersey)	7(10)
7.5.3	Work Notification (Scotland)	7(10)
7.5.4	Work Notification (Northern Ireland)	7(10)
7.5.5	Work Notification (Republic of Ireland)	7(10)
7.5.6	Work Notification (Guernsey)	7(10)
7.5.7	Work Notification (Isle of Man)	7(10)
<b>SECTION 8</b>	<b>FAULT FINDING</b>	<b>Page</b>
<b>8.1</b>	<b>General Approach to Fault Finding</b>	
8.1.1	Introduction	8(1)
8.1.2	Avoidance of Pre-conceptions	8(1)
8.1.3	On-site Interrogation	8(1)
8.1.4	Initial Procedure	8(1)
8.1.5	Electrical Faults	8(2)
8.1.6	Installation Safety	8(2)
<b>8.2</b>	<b>Oil Availability</b>	
8.2.1	Inspection	8(3)
8.2.2	Oil Check	8(3)
8.2.2.1	T61q Questionnaires relating to combustion problems	8(3)
8.2.3	Storage Tank	8(3)
8.2.4	Valves	8(3)
8.2.5	Filter	8(3)
8.2.6	Oil Line	8(3)
8.2.7	De-aeration Device	8(4)
8.2.8	Fire Valves	8(4)
8.2.9	Oil Pressure and Vacuum	8(4)
8.2.10	Oil Leakage and Pressure Testing	8(5)
<b>8.3</b>	<b>Combustion Fault Checks</b>	
8.3.1	Oil Fired Appliance Basic Fault Identification Procedure for Pressure Jet Burners	8(6)
8.3.2	Pressure Jet Burners	8(7)
8.3.3	Flame Failure after Start up	8(7)
<b>SECTION 9</b>	<b>ACKNOWLEDGEMENTS</b>	<b>9(1)</b>
	<b>Intentionally blank pages</b>	<b>1-6</b>

**OFTEC TECHNICAL BOOK TWO**  
**CONTENTS**

Diagram 5.9	Simplified Schematic of the Combustion Processes Pressure Jet Burning	5(9)
Diagram 5.10	Effect of Increased Excess Air on the Carbon Dioxide and Oxygen Contents of Flue Gases for Pressure Jet Burners	5(12)
Diagram 5.11	Excess Air – Relationship with Smoke Production and Efficiency for Pressure Jet Burners	5(13)
Diagram 5.12	Efficiency Loss	5(15)
Diagram 5.13	Gross Flue Loss as a Percentage of Heat Input for Kerosene	5(20)
Diagram 5.14	Pressure and Vacuum Gauges	5(23)
Diagram 5.15	Smoke Tester	5(24)
Diagram 5.16	Draught Gauge	5(25)
Diagram 5.17	Flue Gas Analyser with Probe and Remote Printer	5(26)
Diagram 5.18	Carbon Dioxide Indicator	5(28)
Diagram 5.19	Flue Gas Thermometers	5(29)
Table 5.1	Typical Combustion Readings	5(19)
Table 5.2	Gross Flue Loss Chart Corrected for an Ambient Temperature of 15.6°C (60°F)	5(21)

**SECTION 6      DIAGRAMS AND TABLES      Page**

Diagram S4.1	Completed Flue and Hearth Data Plate	6(15)
--------------	--------------------------------------	-------

**SECTION 7      DIAGRAMS AND TABLES      Page**

Diagram 7.1	OFTEC Oil Warning Sticker	7(1)
Diagram 7.2a	CD/10 (Installation Completion Report)	7(3)
Diagram 7.2b	CD/10T (Installation Completion Report)	7(4)
Diagram 7.3	CD/11 (Service and Commissioning Report)	7(6)
Diagram 7.3a	CD/11 (Service and Commissioning Report)	7(7)
Diagram 7.4	TI/133D (Domestic Oil Storage Tank Spillage and Fire Risk Assessment)	7(9)

© COPYRIGHT OFTEC

