

12.OIL LINE EQUIPMENT

ANGLO NORDIC BURNER PRODUCTS LTD

12-14 Island Farm Avenue, West Molesey, Surrey KT8 2UZ www.anglonordic.co.uk sales@anglonordic.co.uk Tel: 020 8979 0988 Fax: 020 8979 6961

Product Name	Type	Size	Capacity Rating	OFCERT License No
Fire Valves				
TFV remote acting fire valve	70 & 95 C	1.5-25.0m capillary		
Leaver fire valves		3/8", 1/2" & 3/4"		
Free fall fire valves		1/2-6ltrs/hr		
Oil Lifters & De-Aerators				
Oil lifters	Electric	0-12ltr/hr		
Oil lifters including 350ml reservoir	Taisan	12ltrs/hr		
De-aerator including filter & shut-off valve suitable for mounting indoors	GS2000			
Easi B complete oil installation box				
Meters and Regulators				
Oil flow meters Braun			0-50ltrs/hr	
Oil pressure regulator inlet		10mm connections	Inlet pressure 0.5-6.0 Bars	
Oil pressure reducing valve (pumped)		3/8 connections	Inlet pressure >150psi	
Other Items				
Non return valves	Viton seals	3/8"-1.0"		
Oil transfer pumps		12-1000usg/hr		
Flexible oil lines	Long life			
Flexible oil lines	Standard			
Filters cleanable	Spiral Filter	1-1000ltrs/hr		
Oil suction pump	Manual			
Oil sludges/syphon pump c/w 1200mm tube	Manual			
Oil line pressure test pump	Manual			
Oil suction units	Electric	0-350ltrs/hr		
Oil pressure transfer units	Electric	0-350ltrs/hr		

BBT THERMOTECHNOLOGY LTD

Cotswold Way, Warndon, Worcester, Worcestershire WR4 9SW Tel: 01905 754624 Fax: 01905 754619 www.worcster-bosch.co.uk general.worcester@uk.bosch.com

Product Name	Type	Size	Capacity Rating	OFCERT License No
Oil line remote fire valve (RAF 6690C) 3/8 FXF	Manual	9.0m	66 C	
Oil line remote fire valve (RAF 90150C) 3/8 FXF	Manual	15.0m	66 C	
Oil line remote fire valve (RAF 9015C) 3/8 FXF	Manual	1.5m	90 C	
Oil line remote fire valve (RAF 9030C) 3/8 FXF	Manual	3.0m	90 C	
Oil line remote fire valve (RAF 9060C) 3/8 FXF	Manual	6.0m	90 C	
Oil line remote fire valve (RAF 9090C) 3/8 FXF	Manual	9.0m	90 C	
3-K Oil loop	De-aerator	3/8 FXF	140ltrs/hr	
Water separator filter		3/8 FXF	2.5L/M	

CENTRE TANK SERVICES LTD

Unit 41, Minworth Industrial Estate, Forge Lane, Sutton Coldfield B76 1AH www.centretank.com sales@centretank.com Tel: 0121 351 4445 Fax: 0121 351 4442

Product Name	Type	Size	Capacity Rating	OFCERT License No
Black iron fittings		Numerous sizes available		
Brass compression fittings		Numerous sizes available		
Fire valves remote brass	Manual	10mm-3/8" 1.5m-15m	66 C	0962129601
Fire valves remote brass	Manual	10mm-3/8" 1.5m-15m	90 C	0962129601
Flare oil line fittings	1/4"	1/4"-1 1/2"		
Flexi oil lines	Braided	300mm-1000mm		
Flexi oil lines	Braided	1/4" m x 3/8" swivel 500mm-1000mm		
Flexi oil lines	Long life	1/4"-3/8"-1/2"		
Flow controls				
Gear meters	K range	1/2"-3"		
Oil check valves	Brass	3/8"-4"		
Oil de-aerator	Tigerloop / Tigerloop Combi	1/4"	110ltrs / hr	
Oil de-aerator	K3-1		140ltrs / hr	
Oil filters bowl type	C2/D			
Oil lifters	BM	Max lift 8M		
Oil meters	HZ5	1/8"	0.7-40 ltrs/hr	
Oil meters	HZ3	1/4"	0.18-12 ltrs/hr	
Oil meters available with pulsar	Piusi K200	1/4"	10-100 ltrs/hr	
Sight gauges	Push button	4'6"-8' 1/2" BSP		
Top draw off system	Topflex	2"		
Transfer pumps	Vane type	3/8"-1" F		
Water separators	60 micron	3/8"-8mm		

HYTEK (GB) LTD

Delta House, Green Street, Elsenham, Bishop's Stortford, Hertfordshire, CM22 6DS www.hytekgb.com enquiries@hytekgb.com Tel: 01279 815600 Fax: 01279 812978

Product Name	Type	Size	Capacity Rating	OFCERT License No
Tank adaptors	Aluminum	90mm-180mm		
Sight gauges	Push button	4'6"-8' 1/2" BSP		
Sight gauges	Push button	4'6"-8' 1" BSP		
Remote fire valves	Resettable	1.5m-15m	72 C	
Remote fire valves	Resettable	1.5m-15m	95 C	
Fusible head fire valves		3/8" BSSPF or 10mm comm	Max flow 20ltrs/hr	
De-aerator	Tigerloop		Max flow 180kg/hr	
Oil lifters	BM	3 & 6 lifters	Max lift 8m	
Oil bowl filters	Aluminum	3/8" BSSPF or 1/2" BSSPF	Max pressure 2 bar	
Oil meters	Low flow	1/8" & 1/4" BSSPF	80-200ltrs/hr	

12.OIL LINE EQUIPMENT

HYTEK (GB) LTD (Continued)

Delta House, Green Street, Elsenham, Bishop's Stortford, Hertfordshire, CM22 6DS www.hytekgb.com enquiries@hytekgb.com Tel: 01279 815600 Fax: 01279 812978

Product Name	Type	Size	Capacity Rating	OFCERT License No
Oil pumps	Visco	230V & 110V	20ltrs/hr	
Flared oil line fittings and tools	10mm flare	1/4"-1/2" male		
Brass compression fittings		Numerous sizes available		
Black iron fittings		Numerous sizes available		
Brass gate valve	Brass	1/2"-21/2" BSPF		
Lever ball valves		1/2"-3" BSP		
Qual - oil pipework		10, 15, 22 & 28mm		
Qual - oil pipework fittings		10, 15, 22 & 28mm		
UPP lined underground pipework		25mm-160mm dia		
UPP thinwall underground pipework	Gravity/nonpressure	100mm dia		

MAYWELD ENGINEERING CO LTD

Banners Lane, Halesowen, West Midlands B63 2SD vicki@mayweld.co.uk Tel: 01384 560285 Fax: 01384 411456

Product Name	Type	Size	Capacity Rating	OFCERT License No
Combined filter/sight gauge units		1,6" x 1/2" BSP		
Gravity flow meters	Mechanical	1" connections		
Gravity feedhose kits (including aluminium trigger nozzle)		10" x 1" dia		
Oil resistant house and locking angle valve				

METAL DEVELOPMENTS LTD

The Workshop, Wheatcroft Farm, Cullompton, Devon EX15 1RA www.metaldevelopments.co.uk email@metaldev.demon.co.uk Tel: 01884 35806 Fax: 01884 35505

Product Name	Type	Size	Capacity Rating	OFCERT License No
Oil line remote KBB fire valve	Manual	2, 3, 6 & 9m	90 C	0936109602
Oil line remote KBB fire valve	Electronic		60 C	0936029903
Oil line remote AEE fire valve	Manual	2, 3 & 6m	90 C	0962090903
Oil line filter	Gauze	1/4" BSP	4gal/hr	
Oil line pressure reducer		1/4" BSP		
Isolating valve	Manual	1/4" BSP		
Oil control valves				
Controls international				
CI- Twin Stem OF22	Gravity	1/4" BSP	4-13	
CI- Twin Stem - Nouvelle	Gravity	1/4" BSP	4-13 0-36	

METAL DEVELOPMENTS LTD (Continued)

The Workshop, Wheatcroft Farm, Cullompton, Devon EX15 1RA www.metaldevelopments.co.uk email@metaldev.demon.co.uk Tel: 01884 35806 Fax: 01884 35505

Product Name	Type	Size	Capacity Rating	OFCERT License No
Oil lifter	Toby (Gravity)	1/4" BSP	4-8	
Oil lifter	Toby (Gravity)	1/4" BSP	4-13	
Oil lifter	Toby (Gravity)	1/4" BSP	Various ratings	
Oil lifter	BM (Gravity)	1/4" BSP	4-8	
Oil lifter	BM (Gravity)	1/4" BSP	4-13	
BM - Twin Stem - Nouvelle	Gravity	1/4" BSP	4-13 0-36	
BM - Tempomat		12v 12w		
BM - Tempomat		230v 2w		
BM - Tempomat		230v 12w (with fan switch)		
Toby - Electric head		12v 12w		
Toby - Electric head		230c 12w		
ZW13 - Aquastat				
BM lift pump			3L	
BM lift pump			12L	
Tisain lift pump				
Underground oil pipe and inserts				
Bundy pipe		6, 8 & 10mm		
Small bore copper pipe	Annealed	8 & 10mm		
Brass compression fittings	1/4, 3/8" BSP	6, 8 & 10mm	Numerous	
Steel compression fittings	1/4, 3/8" BSP		Numerous	
Black iron fittings			Numerous	

OIL TANK SUPPLIES LTD

Springhill Industrial Estate, Springhill, Moreton-in-Marsh, Gloucestershire, GL56 9TP www.oiltanksupplies.com sales@oiltanksupplies.com Tel: 0800 169 2909 Fax: 01386 858928

Product Name	Type	Size	Capacity Rating	OFCERT License No
Reacting remote filling valve				
Resettable remote acting fire valve				
De-aerator	Tigerloop			
Oil check valve				
Gravity hose kit				
Replacement diesel hose				
Lockable gate valve				
Lockable gate bracket				
K33 Flow meter				
K33 Flow meter with Pulsar				
Electronic digital meter				
Self transfer nozzle aluminium				

12.OIL LINE EQUIPMENT

OIL TANK SUPPLIES LTD (Continued)

Springhill Industrial Estate, Springhill, Moreton-in-Marsh, Gloucestershire, GL56 9TP www.oiltanksupplies.com sales@oiltanksupplies.com Tel: 0800 169 2909 Fax: 01386 858928

Product Name	Type	Size	Capacity Rating	OFCERT License No
Automatic shut-off nozzle				
75L min rotary pump self priming c/w bypass - diesel (240V)				
75L min rotary pump self priming c/w bypass - diesel (110V)				
80L min rotary pump self priming c/w black plate, bypass, mete				
K44 with pulsar for fitting to above				
Cube 50L pump self priming c/w base 240V				
Cube 50L pump self priming c/w base 110V				
Small lockable fuel cabinet with 80L min pump				
Large lockable fuel cabinet with 80L min pump				
Service 80 full height self priming pump 70L min				
Service 120 full height self priming pump 90L min				

PEERLESS CONTROLS LTD

Walwen Works, Bagillt Road, Bagillt, Flintshire CH6 6JD www.peerlesscontrols.com info@peerlesscontrols.com Tel: 0844 800 0052 Fax: 0844 800 0053

Product Name	Type	Size	Capacity Rating	OFCERT License No
PTFV Fire Valve		1.5-3m	65 C	0973010302
PTFV Fire Valve		3-12m	90 C	0973110201

PETROTECHNIK LTD

PetroTechnik House, Olympus Close, Whitehouse Industrial Estate, Ipswich, Suffolk IP1 5LN www.upp.co.uk info@upp.co.uk Tel: 01473 243300 Fax: 01473 243301

Product Name	Type	Size	Capacity Rating	OFCERT License No
Lined UPP EXTRA pipeline		Up to 110mm dia		2072090201
Unlined UPP pipeline		Up to 160mm dia		2072090202
Twin walled SDR 17 gravity/non-pressure UPP pipeline for fill applications		100mm dia		2072090203

SPX TIGERHOLM PRODUCTS AB

Bryggavägen 113, SE - 178 31 Ekerö Sweden www.tigerholm.com info@tigerholm.se Tel: 08 560 340 30 Fax: 08 560 342 60

Product Name	Type	Size	Capacity Rating	OFCERT License No
Tigerloop Original Plastic De-Aerator			110ltrs/hr	2181080901
Tigerloop Original Metal De-Aerator			110ltrs/hr	2181080902
Tigerloop Combi Plastic De-Aerator			110ltrs/hr	2181080903
Tigerloop Combi Metal De-Aerator			110ltrs/hr	2181080904

TEDDINGTON CONTROLS LTD

Holmbush, ST Austell, Cornwall PL25 3HG www.tedcom.com gillian.w@tedcon.com Tel: 01726 222522 Fax: 01726 222504

Product Name	Type	Size	Capacity Rating	OFCERT License No
Fire valves - Remote acting (non-electronic)	KBB/C	1.5-9m	65 C	0936109601
	KBB/C	1.5-9m	90 C	0936109602
Fire Valves - remote acting (Electronic)	KBB/E	Up to 25m	65 C	0936029903
	KBB/E	Up to 25m	90 C	0936029904

THOMAS WALKER (UK) LTD

Catesby Park, Eckershall Road, Kings Norton, Birmingham B38 8SE sales@thomaswalker.co.uk Tel: 0121 486 4100 Fax: 0121 486 4110

Product Name	Type	Size	Capacity Rating	OFCERT License No
Flare Nut		6mm		
Flare Nut		8mm		
Flare Nut		10mm		
Flare Nut		15mm		
Male Flare Union		6mm		
Male Flare Union		8mm		
Male Flare Union		10mm		
Male Flare Union		15mm		
Male Flare to BSPT Male Adaptor		6mm x 1/8"		
Male Flare to BSPT Male Adaptor		6mm x 1/4"		
Male Flare to BSPT Male Adaptor		6mm x 3/8"		
Male Flare to BSPT Male Adaptor		8mm x 1/8"		
Male Flare to BSPT Male Adaptor		8mm x 1/4"		
Male Flare to BSPT Male Adaptor		8mm x 3/8"		
Male Flare to BSPT Male Adaptor		10mm x 1/4"		
Male Flare to BSPT Male Adaptor		10mm x 3/8"		
Male Flare to BSPT Male Adaptor		10mm x 1/2"		

12.OIL LINE EQUIPMENT

THOMAS WALKER (UK) LTD (Continued)

Catesby Park, Eckershall Road, Kings Norton, Birmingham B38 8SE sales@thomaswalker.co.uk Tel: 0121 486 4100 Fax: 0121 486 4110

Product Name	Type	Size	Capacity Rating	OFCERT License No
Male Flare to BSPT Male Adaptor		15mm x 1/2"		
Male Flare to BSPT Female Adaptor		6mm x 1/4"		
Male Flare to BSPT Female Adaptor		6mm x 3/8"		
Male Flare to BSPT Female Adaptor		8mm x 1/4"		
Male Flare to BSPT Female Adaptor		8mm x 3/8"		
Male Flare to BSPT Female Adaptor		10 mm x 1/4"		
Male Flare to BSPT Female Adaptor		10 mm x 3/8"		
Male Flare to BSPT Female Adaptor		10 mm x 1/2"		
Male Flare to BSPT Male Elbow Adaptor		6mm x 1/8"		
Male Flare to BSPT Male Elbow Adaptor		6mm x 1/4"		
Male Flare to BSPT Male Elbow Adaptor		8mm x 1/4"		
Male Flare to BSPT Male Elbow Adaptor		8mm x 3/8"		
Male Flare to BSPT Male Elbow Adaptor		10mm x 1/4"		
Male Flare to BSPT Male Elbow Adaptor		10mm x 3/8"		
Male Flare Elbow		6mm		
Male Flare Elbow		8mm		
Male Flare Elbow		10mm		
Male Flare Elbow		15mm		
Male Flare Tees		15 x 10 x 10 mm		
Male Flare Tees		15 x 15 x 15 mm		
Male Flare Double End Reducer		15 x 10 mm		
Male Flare Double End Reducer		15 x 8 mm		
Male Flare Double End Reducer		10 x 8 mm		
Plastic/ Copper Transition Fitting	To connect plastic underground oil line to soft annealed copper via a flared fitting			