

OIL LINE EQUIPMENT

ANGLO NORDIC BURNER PRODUCTS LTD

12-14 Island Farm Avenue, West Molesey, Surrey KT8 2UZ Tel: 020 8979 0988 Email: sales@anglonordic.co.uk Website: www.anglonordic.co.uk

Product Name	Type	Size	Capacity Rating	OFCERT Licence No
Fire Valves				
CFV ¼" fire valve	65°C	1.5m, 3m & 6m capillary		0953051501
CFV ¼" fire valve	90°C	2m, 3m & 6m capillary		0953051502
TFV remote acting fire valve	70 & 95°C	1.5m - 25m capillary		
Lever fire valves		3/8", 1/2" & 3/4"		
Free fall fire valves		1/2-6ltrs/hr		
Oil Lifters & De-Aerators				
Oil lifters	OUF-88	3.5 or 12 litre tank	0-20 L/hr	
De-aerator including filter & shut-off valve suitable for mounting indoors	GS PRO-FI 3	3/8		2183041101
Easi B complete oil installation box				
Meters and Regulators				
Oil flow meters Braun			0-50ltrs/hr	
Oil pressure regulator inlet	PRV	10mm connections	Inlet pressure 0.5-6.0 Bars	
Oil pressure reducing valve (pumped)	PRV	3/8 connections	Inlet pressure >150psi	
Other Items				
Non-return valves	Viton seals	3/8"-1.0"		
Oil transfer pumps		12-1000usg/hr		
Flexible oil lines	Long life			
Flexible oil lines	Standard			
Oil suction pump	Manual			
Oil sludges/syphon pump c/w 1200mm tube	Manual			
Oil line pressure test pump	Manual			
Oil suction units	Electric	0-350ltrs/hr		
Oil pressure transfer units	Electric	0-350ltrs/hr		
Oil Filter with water separator	Filter	3/8" F BSPP	0-20 L/hr	
Oil Filter Crosland style 3/8" (AN 19489)	Kerosene/Bio	19489	0-20 L/hr	
Oil Filter Crosland style ¼" (AN 18489)	Kerosene/Bio	18489	0-20 L/hr	
Wix Oil Filter	Heating Oil/Bio	¼" BSPP	0-20 L/hr	
Wix Oil Filter	Heating Oil/Bio	3/8" BSPP	0-20 L/hr	
Oil line date change label	Date Label	25 pcs		

OIL LINE EQUIPMENT

ATKINSON EQUIPMENT LTD

Moat Road, West Wilts Trading Estate, Westbury, Wiltshire BA13 4JF Tel: 01373 822220 Email: sales@atkinsonequipment.com Website: www.atkinsonequipment.com

Product Name	Type	Size	Capacity Rating	OFCERT Licence No
TFV ½" Remote Acting Fire Valve	95°C	2.0m - 25m		0937021701
TFV ½" Remote Acting Fire Valve	72°C	1.5m – 25m		0937021702
TFV ¾" Remote Acting Fire Valve	72°C	1.5m – 25m		0937021703
TFV ¾" Remote Acting Fire Valve	95°C	2.0m - 25m		0937021704
TFV ¾" Remote Acting Fire Valve	72°C	1.5m – 25m		0937021705
TFV ¾" Remote Acting Fire Valve	95°C	2.0m - 25m		0937021706
Tigerloop Original De-aerator	TON110I	107x133 mm	Nozzle cap 110 ltrs/hr	2181080901
Tigerloop Original BIO De-aerator – suitable for indoor installation	TBN110I	107x133 mm	Nozzle cap 110 ltrs/hr	2181080902
Tigerloop Combi 3 De-aerator (with shut off valve & filter)	TC3110I	165x204mm	Nozzle cap 110 ltrs/hr	2181080903
Tigerloop Combi 3 BIO De-aerator (with shut off valve & filter) - suitable for indoor installation	TC3110I	165x204mm	Nozzle cap 110 ltrs/hr	2181080904
Tigerloop Original Low Temp De-aerator (to -40°C)	TON110I LT	107x133 mm	Nozzle cap 110 ltrs/hr	
Tigerloop Plus De-aerator (with shut off valve & 10-20 micron spin on filter)	TPN110I	170x243 mm	Nozzle cap 110 ltrs/hr	
Tigerloop Twin De-aerator (with shut off valve & filter)	Twin	310x252 mm	Nozzle cap 200 ltrs/hr	
Tigerloop Twin Bio De-aerator (with shut off valve & filter)	Twin			
Oil filters				
Oil flow meter				
Oil lifters				
Pressure regulating valves				

Further products are available, please see the website

OIL LINE EQUIPMENT

CENTRE TANK SERVICES LTD

Unit 41 Minworth Industrial Estate, Forge Lane, Minworth, Sutton Coldfield, B76 1AH Tel: 0121 7963656 Fax: 0121 351 4442 Email: enquiries@centretank.com Website: www.centretank.com

Product Name	Type	Size	Capacity Rating	OFCERT Licence No
Fill point cabinets	Steel wall mounted	2"		
Black iron fittings		Numerous sizes available		
Brass compression fittings		Numerous sizes available		
Fire valves remote brass	Manual	10mm-3/8" 1.5m-15m	66 C	0962129601
Fire valves remote brass	Manual	10mm-3/8" 1.5m-15m	90 C	0962129601
Flare oil line fittings	1/4"	1/4"-1 1/2"		
Flexi oil lines	Braided	300mm-1000mm		
Flexi oil lines	Braided	1/4" m x 3/8" swivel 500mm-1000mm		
Flexi oil lines	Long life	1/4"-3/8"-1/2"		
Flow controls				
Gear meters	K range	1/2"-3"		
Oil check valves	Brass	3/8"-4"		
Tigerloop Original De-aerator (FOL4009)	TON110I	107x133 mm	Nozzle cap 110 ltrs/hr	2181080901
Tigerloop Original BIO De-aerator – suitable for indoor installation (FOL4021)	TBN110I	107x133 mm	Nozzle cap 110 ltrs/hr	2181080902
Tigerloop Combi 3 De-aerator (with shut off valve & filter) (FOL4020)	TC3110I	165x204mm	Nozzle cap 110 ltrs/hr	2181080903
Tigerloop Combi 3 BIO De-aerator (with shut off valve & filter) - suitable for indoor installation (FOL4022)	TC3110I	165x204mm	Nozzle cap 110 ltrs/hr	2181080904
Oil de-aerator	K3-1		140ltrs / hr	
Oil filters bowl type	C2/D			
Oil lifters	BM	Max lift 8M		
Oil meters	HZ5	1/8"	0.7-40 ltrs/hr	
Oil meters	HZ3	1/4"	0.18-12 ltrs/hr	
Oil meters available with pulsar	Piusi K200	1/4"	10-100 ltrs/hr	
Sight gauges	Push button	4'6"-8' 1/2" BSP		
Top draw off system	Topflex	2"		
Transfer pumps	Vane type	3/8"-1" F		
Water separators	60 micron	3/8"-8mm		

OIL LINE EQUIPMENT

EOGB ENERGY PRODUCTS LTD

5 Howard Road, Eaton Socon, St. Neots, Cambridgeshire PE19 8ET Tel: 01480 477066 Fax: 01480 477022 Email: sales@eogb.co.uk Website: www.eogb.co.uk

Product Name	Bio-Liquid Compatible (Yes/No)	Type	Size	Capacity Rating	OFCERT Licence No
Fire Valves					
KBB/C		65 & 90 C	1.5-20.0m capillary		
Filter Units					
EOGB Type		Cartridge	489, 493,555 Equivelent		
Crosland		Cartridge	489, 493		
Filter Elements					
EOGB Type		Cartridge	489, 493,555 Equivelent		
Crosland		Cartridge	489, 493, 414		
Oil Lines					
Flexible Oil Lines		Braided			
Flexible Oil Lines		Long Life (Red)			
Flexible Oil Lines	Yes *	Long Life (Green)			
Flexible Oil Lines		Thermoplastic			
Flexible Oil Lines		Clear			
Other Items					
Oil Lifters		0-10L / Hr			
Oil Lifters		0-20L/Hr			
De-aerator		3K & Tiger Oil Loop			

* Please contact the manufacturer for further information.

OIL LINE EQUIPMENT

GOK REGLER-UND ARMATUREN-GESELLSCHAFT MBH & CO. KG

Obernreit Strasse 2-16, D-97340 Marktbreit, Germany Tel: 0049 9322 4040 Fax: +49 9332 40449 Email: info@gok-online.de Website: www.gok-online.de

Product Name	Bio-Liquid Compatible (Yes/No)	Product Description	OFCERT Licence No
GS PRO-FI 3	Yes *	De-aerator including filter & shut-off valve suitable for mounting indoors	2183041101

* Please contact the manufacturer for further information.

OIL LINE EQUIPMENT

HYTEK (GB) LTD

Delta House, Green Street, Elsenham, Bishop's Stortford, Hertfordshire, CM22 6DS Tel: 01279 815600 Email: sales@hytekgb.com Website: www.hytekgb.com

Product Name	Type	Size	Capacity Rating	OFCERT Licence No
Tank adaptors	Aluminum	90mm-180mm		
Sight gauges	Push button	4'6"-8" 1/2" BSP		
Sight gauges	Push button	4'6"-8" 1" BSP		
Remote fire valves	Resettable	1.5m-15m	72 C	
Remote fire valves	Resettable	1.5m-15m	95 C	
Fusible head fire valves		3/8" BSSPF or 10mm comm	Max flow 20ltrs/hr	
De-aerator	Tigerloop		Max flow 180kg/hr	
Oil lifters	BM	3 & 6 lifters	Max lift 8m	
Oil bowl filters	Aluminum	3/8" BSSPF or 1/2" BSSPF	Max pressure 2 bar	
Oil meters	Low flow	1/8" & 1/4" BSSPF	80-200ltrs/hr	
Oil pumps	Visco	230V & 110V	20ltrs/hr	
Flared oil line fittings and tools	10mm flare	1/4"-1/2" male		
Brass compression fittings		Numerous sizes available		
Black iron fittings		Numerous sizes available		
Brass gate valve	Brass	1/2"-2 1/2" BSSPF		
Lever ball valves		1/2"-3" BSP		
Qual - oil pipework		10, 15, 22 & 28mm		
Qual - oil pipework fittings		10, 15, 22 & 28mm		
UPP lined underground pipework		25mm-160mm dia		
UPP thinwall underground pipework	Gravity/nonpressure	100mm dia		

OIL LINE EQUIPMENT

MAYWELD ENGINEERING CO LTD

Roughmoor Industrial Estate, Williton, Somerset TA4 4TB Tel: 01384 560285 Fax: 01384 411456 Email: sales@mayweld.co.uk Website: www.mayweld.co.uk

Product Name	Type	Size	Capacity Rating	OFCERT Licence No
Filter valve		1,6" x 1/2" BSP		
Oil resistant house and locking angle valve				

OIL LINE EQUIPMENT

OIL TANK SUPPLIES LTD

Springhill Industrial Estate, Springhill, Moreton-in-Marsh, Gloucestershire, GL56 9TP Tel: 01386 853409 Email: sales@oiltanksupplies.com Website: www.oiltanksupplies.com

Product Name	Type	Size	Capacity Rating	OFCERT Licence No
Reacting remote filling valve				
Resettable remote acting fire valve				
De-aerator	Tigerloop			
Oil check valve				
Gravity hose kit				
Replacement diesel hose				
Lockable gate valve				
Lockable gate bracket				
K33 Flow meter				
K33 Flow meter with Pulsar				
Electronic digital meter				
Self transfer nozzle aluminium				
Automatic shut-off nozzle				
75L min rotary pump self priming c/w bypass - diesel (240V)				
75L min rotary pump self priming c/w bypass - diesel (110V)				
80L min rotary pump self priming c/w black plate, bypass, mete				
K44 with pulsar for fitting to above				
Cube 50L pump self priming c/w base 240V				
Cube 50L pump self priming c/w base 110V				
Small lockable fuel cabinet with 80L min pump				
Large lockable fuel cabinet with 80L min pump				
Service 80 full height self priming pump 70L min				
Service 120 full height self priming pump 90L min				

OIL LINE EQUIPMENT

PIPELIFE IRELAND LTD

White's Cross, Cork Tel: 00353 (0)21 488 4700 Fax: 00353 (0)21 488 4701 Email: ireland@pipelife.com Website: www.pipelife.ie

Product Name	Type	Size	Capacity Rating	OFCERT Licence No
Qual-Oil Underground Pipework	Cross linked polyethylene	10, 15, 22 & 38mm		2064099901

OIL LINE EQUIPMENT

SPX FLOW EUROPE LTD - SWEDEN FILIAL (TIGERHOLM SERIES)

Bryggavägen 113, SE - 178 31 Ekerö, Sweden Tel: 0046 8 560 340 30 Email: tigerholm@spxflow.com Website: www.spxflow.com/en/tigerholm

Product Name	Type	Size (wxh)	Capacity Rating	OFCERT Licence No
Tigerloop Original De-aerator	TON110I	107x133 mm	Nozzle cap 110 ltrs/hr	2181080901
Tigerloop Original BIO De-aerator – suitable for indoor installation	TBN110I	107x133 mm	Nozzle cap 110 ltrs/hr	2181080902
Tigerloop Combi 3 De-aerator (with shut off valve & filter)	TC3110I	165x204mm	Nozzle cap 110 ltrs/hr	2181080903
Tigerloop Combi 3 BIO De-aerator (with shut off valve & filter) - suitable for indoor installation	TC3110I	165x204mm	Nozzle cap 110 ltrs/hr	2181080904
Tigerloop Original Low Temp De-aerator (to -40°C)	TON110I LT	107x133 mm	Nozzle cap 110 ltrs/hr	
Tigerloop Plus De-aerator (with shut off valve & 10-20 micron spin on filter)	TPN110I	170x243 mm	Nozzle cap 110 ltrs/hr	
Tigerloop Twin De-aerator (with shut off valve & filter)	Twin	310x252 mm	Nozzle cap 200 ltrs/hr	

OIL LINE EQUIPMENT

TECNOPEX S.R.L

Via E. Mattei, 29, Zona Industriale Camignone, 25050 PASSIRANO (BS) – ITALY Tel: 0039 0306546097 Fax: 0039 0306546099 Email: info@tecnopex.it Website: www.tecnopex.it

Product Name	Type	Size	Capacity Rating	OFCERT Licence No
Remote Acting Fire Valve	66°C	1.5m, 3m, 6m, 9m and 15m		0985091501
Remote Acting Fire Valve	90°C	1.5m, 3m, 6m, 9m and 15m		0985091502

OIL LINE EQUIPMENT

TESLA UK LTD

Unit 3b, First Avenue, Minworth, Sutton Coldfield, West Midlands B76 1BA Tel: 0121 686 8711 Fax: 0121 686 8712 Email: info@teslauk.com Website: www.teslauk.com

Product Name	Type	Size	Capacity Rating	OFCERT Licence No
SAFFIRE Remote Acting Fire Valve ¼"		1.5m, 2m, 3m, 6m, 9m and 12m	65°C	0962091701
SAFFIRE Remote Acting Fire Valve ¼"		1.5m, 2m, 3m, 6m, 9m and 12m	90°C	0962091702