

OIL STORAGE TANKS - UNBUNDED POLYETHYLENE

ATLAS TANKS

180 Gilford Road, Portadown, Co. Armagh, N. Ireland BT63 5LE Tel: 0333 1216677 Email: sales@atlastanks.co.uk Website: www.atlastanks.co.uk

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT Licence No
		H	W	D				
1400VA	Vertical		1200 D	1480	1400	10mm 1" BSP	T B	0667120101
2500VA	Vertical		1640 D	1580	2500	10mm 1" BSP	T B	0667020202
3600VA	Vertical		1740 D	1740	3600	1 1/2" BSP	T B	0667020203
5000VA	Vertical		1830 D	2280	5000	1 1/2" BSP	T B	
1350HA	Horizontal	1620	1000	1170	1350	10mm 1" BSP	T B	
2500HA	Horizontal	1970	1190	1400	2500	10mm 1" BSP	T B	0667110702
1200SA	Slimline	206	660	1400	1200	10mm 1" BSP	T B	0667030502
1200LPA	Low Profile	1620	1660	980	1200			0667030502
1150SA	Slimline				1150			0667110701

OIL STORAGE TANKS - UNBUNDED POLYETHYLENE

BLAKE GROUP

30–32 South Fore Street, Edinburgh EH6 5NU Tel: 0131 554 1646 Email: webteam@blakegroup.co.uk Website: www.blakegroup.co.uk

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT Licence No
		H	W	D				
1100KR	Rectangular	1680	705	1285	1100	1" BSP	B	0643070115
1000SL	Slimline	1925	925	1055	1100	1" BSP	B	0641119504
1150SR	Rectangular	2085	610	1290	1150	1" BSP	B	0641119506
1200LP	Low Profile	1990	1140	870	1200	1" BSP	B	0641119505
1300V	Vertical		1260 D	1262	1300	1" BSP	B	0641119402
1360C	Cylindrical	1950	1100	1055	1360	1" BSP	B	0641119401
1800H	Horizontal	2055	1130	1145	1800	1" BSP	B	0642116916
2500C	Horizontal	2280	1290	1340	2500	1" BSP	B	0641099910
2600C	Cylindrical	2350	1320	1335	2680	1" BSP	B	0641119403
2600V	Vertical		1700 D	1410	2600	1" BSP	B	0641099911
2860V	Vertical		1600 D	1700	2860	1" BSP	B	0641119507
3600V	Vertical		1840 D	1750	3600	1" BSP	B	0642119615
5000V	Vertical		2040 D	2260	5000	1" BSP	B	0641099912
10000V	Vertical		2550 D	2540	10000	1" BSP	B	06442119614

OIL STORAGE TANKS - UNBUNDED POLYETHYLENE

CARBERY PLASTICS LTD

Clonakilty Enterprise Park, Clonakilty, Co. Cork, Ireland Tel: +353 (0)23 8833531 Fax: +353 (0)23 8834368 Email: info@carberyplastics.ie Website: www.carberyplastics.com

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT Licence No
		H	W	D				
CARBERY 650R	Rectangular	1038	669	1083	650	1" BSP	T B	0654071501
CARBERY 0750H	Horizontal	980	1040	1240	733	1" BSP	T B	0654060501R
CARBERY 0800R	Rectangular	1010	675	1650	818	1" BSP	T B	0654070405
CARBERY 0900R	Rectangular	1060	670	1750	900	1" BSP	T B	0654070504R
CARBERY 1000R	Rectangular	1140	675	1650	988	1" BSP	T B	0654081201
CARBERY 1000H	Horizontal	1000	1050	1725	1008	1" BSP	T B	0654070407
CARBERY 1100R	Rectangular	1260	670	1750	1111	1" BSP	T B	0654120501R
CARBERY 1150H	Horizontal	1020	1060	1720	1164	1" BSP	T B	0654070503R
CARBERY 1350H	Horizontal	1100	1170	1720	1300	1" BSP	T B	0654070502R
CARBERY 1350V	Vertical	1245	1250		1300	1" BSP	T B	0654070406R
CARBERY 1550H	Horizontal	1220	1240	1810	1470	1" BSP	T B	0654060502R
CARBERY JUMBO (2500H)	Horizontal	1265	1360	2145	2348	1" BSP	T B	0654111401
CARBERY 2500V	Vertical	1400	1630		2275	1" BSP	T B	0654040601R
CARBERY 6000V	Vertical	1680	2440		5500	1" BSP	T B	0654041202

OIL STORAGE TANKS - UNBUNDED POLYETHYLENE

DESO ENGINEERING LTD

Devon & Somerset Engineering Ltd, Slade Way, Roughmoor Industrial Estate, Williton, Somerset TA4 4TB Tel: 01984 632026 Fax: 01984 634267 Email: sales@desoengineering.co.uk Website:www.desoengineering.co.uk

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT Licence No	Performance Declaration
		H	W	D					
H1730	Horizontal	1890	1250	1320	1730	1" BSP	T B	0668060208	
H2575	Horizontal	2440	1320	1320	2575	1" BSP	T B		
V3300	Vertical	1530	1530	2060	3300	1" BSP	T B	0668040205	
V5000	Vertical							0668030701	
H1900T	Horizontal	1340	1240	1820	1900			0668030702	Download
H2500T	Horizontal	1320	1250	2400	2500			0668030703	Download
V1340T	Vertical	1280	1250		1340			0668030704	Download
V2455T	Vertical	1500	1510		2455			0668030705	Download
V3500	Vertical							0668030707	
R1220T	Rectangular	1400	660	2060	1220			0668030709	
LP1230T	Low Profile	860	1240	1900	1230			0668030710	Download
H1235T	Horizontal	1120	1030	1770	1235			0668030711	Download
SL1000	Slimline							0668061502	
SL1250	Slimline							0668051401	
SL1400	Slimline							0668051402	
VLP5000	Vertical, Low Profile	1833	2272		5000	1" BSP		0668061501	
V9400k	Vertical							0668051403	
V1230T	Vertical	1400	1125		1250			0668081601	
H1550	Horizontal				1400			0668101701	

OIL STORAGE TANKS - UNBUNDED POLYETHYLENE

HARLEQUIN MANUFACTURING LTD

21 Clarehill Road, Moira, Co. Armagh, Northern Ireland BT67 0PB Tel: 028 9261 1077 Fax: 028 9261 2672 Email: info@harlequin-mfg.com Website: www.harlequin-mfg.com

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT Licence No
		H	W	L/D				
650SL	Slimline	1160	525	1510	663	1" BSP	B	0644030801
920SL	Slimline	1165	715	1530	908	1" BSP	B	0644020802
1100SL	Slimline	1420	690	1650	1086	1" BSP	B	0644049604
1200LP	Low Profile	825	1320	1740	1220	1" BSP	B	0644060503
1300SL	Slimline	1370	745	1915	1274	1" BSP	B	0644020801
1400HZ	Horizontal	1135	1095	1805	1383	1" BSP	B	0644010010
1450VT	Vertical	1260		1350	1400	1" BSP	B	0644100112
2100HZ	Horizontal	1270	1240	2140	2005	1" BSP	B	0644010011
2500HZ	Horizontal	1410	1385	2180	2520	1" BSP	B	0644010317
2500VT	Vertical	1345		1700	2540	1" BSP	B	0644010316
2700HZ	Horizontal	1405	1400	2100	2650	1" BSP	B	0644010008
3900VT	Vertical	1420		2020	3730	1" BSP	B	0644019706
5400VT	Vertical	1920		2020	5035	1" BSP	B	0644010320
10000VT	Vertical	3200		2260	9595	2" BSP	B	0644070901

OIL STORAGE TANKS - UNBUNDLED POLYETHYLENE

MAYWELD ENGINEERING CO LTD

Roughmoor Industrial Estate, Williton, Somerset TA4 4TB Tel: 01384 560285 Fax: 01384 411456 Email: sales@mayweld.co.uk Website: www.mayweld.co.uk

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT Licence No
		H	W	D				
LP1200	Low Profile	890	1380	8901	1354	1" BSP	B	0642099509
LP1200 TT	Low Profile	890	1380	890	1354	10mm	B T	0642099509
H1250	Horizontal	1260	1120	1260	1353	1" BSP	B	0642099402
H1250 TT	Horizontal	1260	1120	1260	1353	10mm	B T	0642099402
H1300	Horizontal	1050	1150	1050	1373	1" BSP	B	0642049919
H1350	Horizontal	1160	1090	1160	1468	1" BSP	B	0642099403
H1350 TT	Horizontal	1160	1090	1160	1468	10mm	B T	0642099403
H1800	Horizontal	1145	1130	1145	1923	1" BSP	B	0642119616
H1800 TT	Horizontal	1145	1130	1145	1923	10mm	B T	0642119616
H2500	Horizontal	1320	1265	1320	2500	1" BSP	B	0642099401
H2500 TT	Horizontal	1320	1265	1320	2500	10mm	B T	0642099401
R1225	Rectangular	1400	750	1400	1337	1" BSP	B	0642099404
R1225 TT	Rectangular	1400	750	1400	1337	10mm	B T	0642099404
V1300	Vertical		1190 D	1400	1337	1" BSP	B	0642099405
V1300 TT	Vertical		1190 D	1400	1337	10mm	B T	0642099405
V2500	Vertical		1640 D	1400	2781	1" BSP	B	0642099406
V2500 TT	Vertical		1640 D	1400	2781	10mm	B T	0642099406
V1360	Vertical		1840 D	1750	3902	1" BSP	B	0642119615
V1360 TT	Vertical		1840 D	1750	3902	10mm 1/2", 1" BSP	B T	0642119615
V5000	Vertical		2010 D	2240	5546	1" BSP	B	0642119614
V5000 TT	Vertical		2010 D	2240	5546	10mm 1/2", 1" BSP	B T	0642119614
V10000	Vertical		2640 D	2480	11276	1" BSP	B	0642119613
V10000 TT	Vertical		2640 D	2480	11276	10mm 1/2", 1" BSP	B T	

OIL STORAGE TANKS - UNBUNDED POLYETHYLENE

OIL TANK SUPPLIES LTD

Springhill Industrial Estate, Springhill, Moreton-in-Marsh, Gloucestershire, GL56 9TP Tel: 01386 853409 Email: sales@oiltanksupplies.com Website: www.oiltanksupplies.com

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT Licence No
		H	W	D				
LP1250	Low Profile	1800	1320	910	1250	1" BSP	B	0646059601
SL1250	Slimline	2000	650	1456	1250	1" BSP	B	0645050020
H1135	Horizontal	1855	1100	1055	1135	1" BSP	B	064059605
H1590	Horizontal	2000	12201	1179	1590	1" BSP	B	0640659608
H2500	Horizontal	2360	1400	1359	2500	1" BSP	B	0646059604
H3410	Horizontal	2570	1580	1605	3410	1" BSP	B	0646029812
H5000	Horizontal	2910	1750	1775	5000	1" BSP	B	0646029813
V1365	Vertical		1300 D	1320	1365	1" BSP	B	0646029814
V2600	Vertical		1580 D	1665	2600	1" BSP	B	0646029815
V3635	Vertical		1800D	1778	3635	1" BSP	B	0646029816
V5455	Vertical		2000 D	2008	5455	1" BSP	B	0646029817
V7270	Vertical		2085 D	2426	7270	1" BSP	B	0646029818
V10000	Vertical		2300 D	2700	10000	1" BSP	B	0646029819

OIL STORAGE TANKS - UNBUNDED POLYETHYLENE

TITAN ENVIRONMENTAL (Company Kingspan Environmental Ltd)

180 Gilford Road, Portadown, Co Armagh, Northern Ireland BT63 5LF Tel: 028 3836 4444 Email: tankinfo@kingspan.co.uk Website: www.titanenv.com
 Dundalk Road, Carrickmacross, Co Monaghan, Republic of Ireland Tel: 00353 4296 90022 Email: tankinfo@kingspan.ie Website: www.titanenv.com

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT Licence No
		H	W	D				
NI								
R1100	Rectangular	1320	705	1680	1100	1" BSP	B	0643079115
ROI								
R1000	Rectangular	1350	590	1910	1000	1" BSP	B	0647080105
R1200	Rectangular	1220	700	1810	1200	1" BSP	B	
LP1200	Low Profile	925	1370	1785	1200	1" BSP	B	0641110114
H1100	Horizontal	1045	945	1940	1100	1" BSP	B	0641119504
H1360	Horizontal	1060	1080	1940	1360	1" BSP	B	0641119401
H1800	Horizontal	1170	1125	2170	1800	1" BSP	B	0642119616
V1300	Vertical	1415	1210 D		1300	1" BSP	B	0642099405
V2500	Vertical	1450	1635 D		2500	1" BSP	B	0642099406
V3500	Vertical	1855	1885 D		3500	1" BSP	B	0642119615
V5000	Vertical	2265	2035 D		5000	1" BSP	B	0641099912
V10000	Vertical	2500	2630 D		10000	1" BSP	B	0642071002
GB & NI								
R900	Rectangular	1180	695	1505	900	1" BSP	B	0642021408
R1000	Rectangular	1350	590	1910	1000			
R1000 TT	Rectangular	1350	590	1910	1000			
R1200	Rectangular	1220	700	1810	1200	1" BSP	B	0642021409
R1225	Rectangular	1385	750	1745	1225	1" BSP	B	0642040232
R1225 TT	Rectangular	1385	750	1745	1225	1" BSP	T B	0642099404
LP1200	Low Profile	925	1370	1785	1200	1" BSP	B	0642099509
LP1200 TT	Low Profile	925	1370	1785	1200	10mm	T B	0642099509
SP4000	Slim Profile	1925	970	2932	4000	1" BSP	T B	0642021410
H1100	Horizontal	1090	895	1970	1100	1" BSP	B	0642021405
H1300	Horizontal	1145	1090	1735	1300	1" BSP	B	0642049919
H1300 TT	Horizontal	1145	1090	1735	1300	1" BSP	B	0642049919
H1360	Horizontal	1060	1080	1940	1360	1" BSP	B	0642021406
H1800	Horizontal	1170	1125	2170	1800	1" BSP	B	0642119616
H1800 TT	Horizontal	1170	1125	2170	1800	10mm	T B	0642119616
1900H	Horizontal	1285	1260	1850	1900	1" BSP	B	0642021401
2400HAT	Horizontal	1400	1350	2000	2500	1" BSP	B	0642021402
H2500	Horizontal	1315	1285	2265	2500	1" BSP	B	0642021407
H2500 TT	Horizontal	1315	1285	2265	2500	10mm	T B	0642099401
V1300	Vertical	1415	1210 D		1300	1" BSP	B	0642099405
V1300 TT	Vertical	1415	1210 D		1300	1" BSP	B	0642099405
V2500	Vertical	1450	1635 D		2500	1" BSP	B	0642099406
V2500 TT	Vertical	1450	1635 D		2500	1" BSP	B	0642099406
V2500	Vertical	1450	1635 D		2500			0642060503

OIL STORAGE TANKS - UNBUNDED POLYETHYLENE

TITAN ENVIRONMENTAL (Company Kingspan Environmental Ltd) (Continued)

180 Gilford Road, Portadown, Co Armagh, Northern Ireland BT63 5LF Tel: 028 3836 4444 Email: tankinfo@kingspan.co.uk Website: www.titanenv.com

Dundalk Road, Carrickmacross, Co Monaghan, Republic of Ireland Tel: 00353 4296 90022 Email: tankinfo@kingspan.ie Website: www.titanenv.com

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT Licence No
		H	W	D				
GB & NI (Continued)								
V5000	Vertical	1885	1885 D		5000	1" = B 10mm, 1/2" = T	T B	0642119614
V5000 TT	Vertical	1885	1885 D		5000	1" = B 10mm, 1/2" = T	T B	0642119614
V9000	Vertical	2900	2300 D		9000	Varies from 1/2" to 2"	T B	0642021411
V10000 TT	Vertical	2500	2630 D		10000	1" BSP	B	0642119613
V10000	Vertical	2500	2630 D		10000	1" = B 10mm, 1/2" = T	T B	0642071002

OIL STORAGE TANKS - INTEGRALLY BUNDED POLYETHYLENE

ATLAS TANKS

180 Gilford Road, Portadown, Co. Armagh, N. Ireland BT63 5LE Tel: 0333 1216677 Email: sales@atlastanks.co.uk Website: www.atlastanks.co.uk

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT Licence No
		H	W	D				
1200BSA	Horizontal	2250	800	1550	1200	10mm 1" BSP	T B	
1225BSA								0667100701
1300BHA	Horizontal	1820	1200	1320	1350	10mm 1" BSP	T B	0667100703
2250BHA								0667100705
2500BHA	Horizontal	2300	1420	1150	2500	10mm 1" BSP	T B	0667100702
5000BVA	Vertical	2430		2130	5000	1 1/2" BSP	T B	0667100704

OIL STORAGE TANKS - INTEGRALLY BUNDED POLYETHYLENE

BLAKE GROUP

30-32 South Fore Street, Edinburgh EH6 5NU Tel: 0131 554 1646 Email: webteam@blakegroup.co.uk Website: www.blakegroup.co.uk

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT Licence No
		H	W	D				
ES1350T	Horizontal	1745	1270	1275	1350	1/2" BSP	T	0642069820
ES2500T	Horizontal	2530	1430	1430	2500	1/2" BSP	T	0642069817
ES5000T	Vertical		2225 D	2380	5000	1/2" BSP	T	0642109917
ES1150B	Horizontal	2070	1075	1640	1150	1/2" BSP	B	0642070022
ES1350B	Horizontal	1945	1390	1275	1350	1/2" BSP	B	0642069820
ES2500B	Horizontal	2530	1430	1430	2500	1/2" BSP	B	0642069817
ES5000B	Vertical		2225 D	2380	5000	1/2" BSP	B	0642109917
FM2500T	Horizontal	2530	1430	1855	2500	1" BSP	T	0642069817
FM5000T	Horizontal	3120	2330	2090	5000	1" BSP	T	0642070130
BT2600B	Cylindrical	2560	1550	1450	2800	1/2" BSP	B	0641099913

OIL STORAGE TANKS - INTEGRALLY BUNDED POLYETHYLENE

CARBERY PLASTICS LTD

Clonakilty Enterprise Park, Clonakilty, Co. Cork, Ireland Tel: +353 (0)23 8833531 Fax: +353 (0)23 8834368 Email: info@carberyplastics.ie Website: www.carberyplastics.com

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT Licence No
		H	W	D				
CARBERY 1000RB	Rectangular	1390	830	1940	988	1" BSP	T B	0654081202
CARBERY 1100RB	Rectangular	1390	830	1940	1111	1" BSP	T B	0654010601R
CARBERY 1350HB	Horizontal	1200	1270	2020	1300	1" BSP	T B	0654070501R
CARBERY 1350VB	Vertical	1570	1372		1309	1" BSP	T B	0654041201
CARBERY JUMBO.HB	Horizontal	1480	1700	2400	2275	1" BSP	T B	0654070401R
CARBERY 2500VB	Vertical	1900	1870		2546	1" BSP	T B	0654090601R
CARBERY 6000VB	Vertical	2400	2330		5833	1" BSP	T B	0654041203
CARBERY Combi R Bund	Rectangular	1240	750	1200	611	1" BSP	B	0654041701

OIL STORAGE TANKS - INTEGRALLY BUNDED POLYETHYLENE

DESO ENGINEERING LTD

Devon & Somerset Engineering Ltd, Slade Way, Roughmoor Industrial Estate, Williton, Somerset TA4 4TB Tel: 01984 632026 Fax: 01984 634267 Email: sales@desoengineering.co.uk Website:www.desoengineering.co.uk

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT Licence No	Performance Declaration
		H	W	D					
LP1200BT	Low Profile	1000	1400	2000	1200	1" BSP			Download
R1220	Rectangular	2060	660	1400	1900	1" BSP		0668020314	
SL650BT	Rectangular	1350	630	1260	650	1" BSP			Download
SL1000BT	Rectangular	1350	640	1890	1000	1" BSP			Download
SL1250BT	Rectangular	1660	650	2000	1250	1" BSP			Download
SL1400BT	Rectangular	1620	650	2130	1400	1" BSP			Download
H1235BT	Horizontal	1366	1230	1995	1235			0668030708	Download
H1235DD	Horizontal	1600	1250	1900	1235	Option	T B	0668030708	
H1800BT	Horizontal	1510	1350	1970	1800	1" BSP	T B		Download
H1900	Horizontal						T	0668030706	
H2500BT	Horizontal	1620	1450	2640	2500	1" BSP	T B	0668020313	Download
H2500 (2015 Model)	Horizontal	1304	1080	2100	2500	1" BSP	T B	0668021501	
H2500DD	Horizontal	1770	1450	2640	2500	1" BSP	T B	0668020313	
V1340BT	Vertical	1500	1410		1340	1" BSP	T B	0668060210	Download
V1340DD	Vertical	1740	1410	1390	1340	Option	T B	0668060210	
V2455BT	Vertical	1810	1700		2455	1" BSP	T B	0668060211	Download
V2350DD	Vertical	1850	1700	1670	2350	Option	T B		
V3500BT	Vertical	1600	2120		3500	1" BSP	T B		Download
V3500DD	Vertical	1885	2230	1885	3500	Option	T B		
V5000BT	Vertical	2300	2120		5000	1" BSP	T B	0668060212	Download
VLP5000DD	Vertical	1970	2460		5000	Option	T B		
V9400BT	Vertical	2800	2450		9400	1" BSP	T B		
V9400DD	Vertical	2800	2450		9400	Option	T B		
V1230BT	Vertical	1555	1250		1250			0668081602	Download

OIL STORAGE TANKS - INTEGRALLY BUNDED POLYETHYLENE

HARLEQUIN MANUFACTURING LTD

21 Clarehill Road, Moira, Co. Armagh, Northern Ireland BT67 0PB Tel: 028 9261 1077 Fax: 028 9261 2672 Email: info@harlequin-mfg.com Website: www.harlequin-mfg.com

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT Licence No
		H	W	L/D				
650ITE	Slimline	1335	670	1715	663	1" BSP	B	0644051004R
650ITB	Slimline	1335	670	1715	663	1" BSP	B	0644030802R
650ITT	Slimline	1335	670	1715	663	10mm	T	0644030803R
1000ITE	Slimline	1420	710	2150	1003	1" BSP	B	0644051005R
1000ITB	Slimline	1420	710	2150	1003	1" BSP	B	0644060502R
1000ITT	Slimline	1420	710	2150	1003	10mm	T	0644060504R
1100ITE	Slimline	1605	920	1880	1086	1" BSP	B	0644010901R
1100ITB	Slimline	1605	920	1880	1086	1" BSP	B	0644070801R
1100ITT	Slimline	1605	920	1880	1086	10mm	T	0644070802R
1200ITE	Low Profile	950	1600	1900	1251	1" BSP	B	0644031201
1200ITB	Low Profile	950	1600	1900	1220	1" BSP	B	0644020803R
1200ITT	Low Profile	950	1600	1900	1220	10mm	T	0644020804R
1300ITE	Slimline	1540	950	2100	1274	1" BSP	B	0644051006R
1300ITB	Slimline	1540	950	2100	1274	1" BSP	B	0644020805R
1300ITT	Slimline	1540	950	2100	1274	10mm	T	0644020806R
1400ITE	Horizontal	1420	1250	1900	1383	1" BSP	B	0644010902R
1400ITB	Horizontal	1420	1250	1900	1383	1" BSP	B	0644090502R
1400ITT	Horizontal	1420	1250	1900	1383	10mm	T	0644090501R
1450ITE	Vertical	1590		1540	1413	1" BSP	B	0644010903R
1450ITB	Vertical	1590		1540	1413	1" BSP	B	0644120602R
1450ITT	Vertical	1590		1540	1413	10mm	T	0644120601R
2000ITE	Horizontal	1415	1320	2360	2005	1" BSP	B	0644010904R
2000ITB	Horizontal	1415	1320	2360	2005	1" BSP	B	0644040702R
2000ITT	Horizontal	1415	1320	2360	2005	10mm	T	0644040701R
2500ITE	Horizontal	1470	1435	2460	2491	1" BSP	B	0644051003R
2500ITB	Horizontal	1470	1435	2460	2491	1" BSP	B	0644051001R
2500ITT	Horizontal	1470	1435	2460	2491	10mm	T	0644051002R
2700ITE	Horizontal	1650	1720	2395	2650	1" BSP	B	0644010905R
2700ITB	Horizontal	1650	1720	2395	2650	1" BSP	B	0644010009R
2700ITE	Horizontal	1650	1720	2395	2650	10mm	T	0644010009R
3500ITE	Horizontal	1890	1770	2450	3297	1" BSP	B	0644031202
3500ITB	Horizontal	1890	1770	2450	3297	1" BSP	B	0644040801R
3500ITT	Horizontal	1890	1770	2450	3297	10mm	T	0644040802R
5400ITB	Vertical	2125		2575	5042	1" BSP	B	0644010318R
5400ITT	Vertical	2125		2575	5042	10mm	T	0644010319R
7500ITT	Vertical	3020	2305	3153			T	0644121702
7500ITE	Vertical	3020	2305	3153		1" BSP	B	0644121703
1225ITT	Horizontal	1525	840	2110	1186		T	0644081801
1225ITE	Horizontal	1525	840	2110	1186		B	0644081802

OIL STORAGE TANKS - INTEGRALLY BUNDED POLYETHYLENE

HARLEQUIN MANUFACTURING LTD (Continued)

21 Clarehill Road, Moira, Co. Armagh, Northern Ireland BT67 0PB Tel: 028 9261 1077 Fax: 028 9261 2672 Email: info@harlequin-mfg.com Website: www.harlequin-mfg.com

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT Licence No
		H	W	L/D				
Fuel Stations								
1300SLFS	Horizontal	1850	950	2300	1335			0644071101
1400FS	Vertical	1930		1580	1413			0644060603
1400VTFS	Vertical	1835	1570	1610	1413			0644041201
2500FS	Vertical	1930		2090	2580			0644060604
2500SLFS	Horizontal	1985	1385	2550	2411			0644111101
2500VTFS	Vertical	1880		2020	2442			0644031203
5000FS	Vertical	2270	2200	2800	5042			0644041301
7500FS	Vertical	3020	2305	3153				0644121701

OIL STORAGE TANKS - INTEGRALLY BUNDED POLYETHYLENE

TITAN ENVIRONMENTAL (Company Kingspan Environmental Ltd)

180 Gilford Road, Portadown, Co Armagh, Northern Ireland BT63 5LF Tel: 028 3836 4444 Email: tankinfo@kingspan.co.uk Website: www.titanenv.com

Dundalk Road, Carrickmacross, Co Monaghan, Republic of Ireland Tel: 00353 4296 90022 Email: tankinfo@kingspan.ie Website: www.titanenv.com

Product Name		Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT Licence No
			H	W	D				
NI									
ES650	EcoSafe	Vertical	1400	1050 D		650	1" BSP	T B	0642030802
GB, NI & ROI									
BT4000		Horizontal	2339	1150	3170	4000			0642021403
ESLP1200	EcoSafe	Low Profile	1090	1540	1940	1200	1" BSP	B	0642041001
ES1000	EcoSafe	Horizontal	1500	695	2140	1000	1" BSP	T B	0642110427
ES1225	EcoSafe	Horizontal	1495	900	2000	1225	1" BSP	T B	0642110428
ESV1300	EcoSafe	Vertical	1485	1550 D		1300	1" BSP	T B	0642041002
ES1300	EcoSafe	Horizontal	1310	1265	1935	1300	1" BSP	T B	0642109918
ES1800	EcoSafe	Horizontal	1345	1300	2360	1800	1" BSP	T B	0642110430
ESV2500	EcoSafe	Vertical	1490	2000 D		2500	1" BSP	T B	0642071001
ES2500	EcoSafe	Horizontal	1465	1425	2450	2500	1" BSP	T B	0642110431
ES3500	EcoSafe	Vertical	1940	2180 D		3500	1" BSP	T B	0642110432
ES5000	EcoSafe	Vertical	2420	2230 D		5000	1" BSP	T B	0642110433
ES9000	EcoSafe	Vertical	2950	2460 D		9000	1" BSP	B	
ESV10000	EcoSafe	Vertical	2950	2800 D		10000	1" BSP	T B	Plastic inner 0642119613
FM1225	FuelMaster	Horizontal	1970	900	2050	1225			0642011601
FM1300	FuelMaster	Horizontal	1785	1245	1890	1300			0642090326
FM2500	FuelMaster	Horizontal	1855	1420	2430	2500			0642069817
FM3500	FuelMaster	Vertical	1900	2680	2080	3500			0642030601
FM4000	FuelMaster	Horizontal	2339	1150	3170	4000			0642021404
FM5000	FuelMaster	Horizontal	2335	2070	3140	5000			0642110436
FMV5000	FuelMaster	Vertical	2420	2890	2230	5000			0642110437
FMV9000	FuelMaster	Vertical	2950	2460	3580	9000			
FMV10000	FuelMaster	Vertical	3300	2800	3007	10000			Plastic inner 0642119613

OIL STORAGE TANKS - UNDERGROUND POLYETHYLENE

AWAITING ENTRIES FOR 2018